

**New Mexico Tumor Registry Bibliography
2003-2014**

2003

- 03.01** Athas WF, Hunt WC, Key CR. Changes in nonmelanoma skin cancer incidence between 1977-1978 and 1998-1999 in Northcentral New Mexico. *Cancer Epidemiol Biomarkers Prev.* 2003 Oct;12(10):1105-1108.
- 03.02** Du XL, Key CR, Osborne C, Mahnken JD, Goodwin JS. Discrepancy between consensus recommendations and actual community use of adjuvant chemotherapy in women with breast cancer. *Ann Intern Med.* 2003 Jan 21;138(2):90-97.
- 03.03** Geller BM, Kerlikowske K, Carney PA, Abraham LA, Yankaskas BC, Taplin SH, Ballard-Barbash R, Dignan MB, Rosenberg R, Urban N, Barlow WE. Mammography surveillance following breast cancer. *Breast Cancer Res Treat.* 2003 Sep;81(2):107-115.
- 03.04** Hoffman R, Stone N, Hunt C, Gilliland F. Quality of life changes in men with localized prostate cancer versus controls. *J Gen Internal Med.* 2003;18:284.
- 03.05** Hoffman RM. An argument against routine prostate cancer screening. *Arch Intern Med.* Mar 24 2003;163(6):663-665; discussion 665-666.
- 03.06** Hoffman RM, Harlan LC, Klabunde CN, et al. Racial differences in initial treatment for clinically localized prostate cancer. Results from the prostate cancer outcomes study. *J Gen Intern Med.* Oct 2003;18(10):845-853.
- 03.07** Hoffman RM, Hunt WC, Gilliland FD, Stephenson RA, Potosky AL. Patient satisfaction with treatment decisions for clinically localized prostate carcinoma. Results from the Prostate Cancer Outcomes Study. *Cancer.* Apr 1 2003;97(7):1653-1662.
- 03.08** Hoffman RM, MacDonald R, Slaton JW, Wilt TJ. Laser prostatectomy versus transurethral resection for treating benign prostatic obstruction: a systematic review. *J Urol.* Jan 2003;169(1):210-215.
- 03.09** Hoffman RM, Stone SN, Hunt WC, Key CR, Gilliland FD. Effects of misattribution in assigning cause of death on prostate cancer mortality rates. *Ann Epidemiol.* Jul 2003;13(6):450-454.
- 03.10** Irwin ML, Crumley D, McTiernan A, et al. Physical activity levels before and after a diagnosis of breast carcinoma: the Health, Eating, Activity, and Lifestyle (HEAL) study. *Cancer.* Apr 1 2003;97(7):1746-1757.
- 03.11** Lanier AP, Holck P, Ehrt Day G, Key C. Childhood cancer among Alaska Natives. *Pediatrics.* Nov 2003;112(5):e396.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 03.12** McTiernan A, Rajan KB, Tworoger SS, et al. Adiposity and sex hormones in postmenopausal breast cancer survivors. *J Clin Oncol*. May 15 2003;21(10):1961-1966.
- 03.13** Penson DF, Feng Z, Kuniyuki A, et al. General quality of life 2 years following treatment for prostate cancer: what influences outcomes? Results from the prostate cancer outcomes study. *J Clin Oncol*. Mar 15 2003;21(6):1147-1154.
- 03.14** Smith HO, Hilgers RD, Bedrick EJ, et al. Ethnic differences at risk for gestational trophoblastic disease in New Mexico: A 25-year population-based study. *Am J Obstet Gynecol*. Feb 2003;188(2):357-366.
- 03.15** Stone SN, Hoffman RM, Tollestrup K, Stidley CA, Witter JL, Gilliland FD. Family history, Hispanic ethnicity, and prostate cancer risk. *Ethn Dis*. Spring 2003;13(2):233-239.

2004

- 04.01** Baumgartner K, Hunt C, Baumgartner R, et al. Association of body composition and weight history with breast cancer prognostic markers: divergent pattern for Hispanic and non Hispanic white women. *Am J Epidemiol*. 2004;160(11):1087-1097.
- 04.02** Du XL, Key CR, Osborne C. Community-based assessment of adjuvant hormone therapy in women with breast cancer, 1991-1997. *Breast J*. Sep-Oct 2004;10(5):433-439.
- 04.03** Hoffman R, Gilliland F, Penson DF, Stone N, Hunt C, Potosky A. Cross-sectional and longitudinal comparisons of health-related quality of life between patients with prostate carcinoma and matched controls. *Cancer*. 2004;101(9):2011-2019.
- 04.04** Hoffman RM, Adams-Cameron ML, Murata GH. Misclassifying the indications for prostate-specific antigen testing may bias case-control studies of the efficacy of prostate cancer screening. *J Clin Epidemiol*. Oct 2004;57(10):1071-1075.
- 04.05** Hoffman RM, MacDonald R, Wilt TJ. Laser prostatectomy for benign prostatic obstruction. *Cochrane Database Syst Rev*. 2004(1):CD001987.
- 04.06** Irwin ML, McTiernan A, Bernstein L, et al. Physical activity levels among breast cancer survivors. *Med Sci Sports Exerc*. Sep 2004;36(9):1484-1491.
- 04.07** Potosky AL, Davis WW, Hoffman RM, et al. Five-year outcomes after prostatectomy or radiotherapy for prostate cancer: the prostate cancer outcomes study. *J Natl Cancer Inst*. Sep 15 2004;96(18):1358-1367.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 04.08** Smith HO, Qualls CR, Hilgers RD, et al. Gestational trophoblastic neoplasia in American Indians. *J Reprod Med.* Jul 2004;49(7):535-544.
- 04.09** Wayne S, Lopez S, Butler L, Baumgartner K, Baumgartner R, Ballard-Barbash R. Changes in dietary intake after diagnosis of breast cancer *J Am Diet Assoc* 2004;104(10):1561-1568.
- 04.10** White E, Miglioretti DL, Yankaskas BC, et al. Biennial versus annual mammography and the risk of late-stage breast cancer. *J Natl Cancer Inst.* Dec 15 2004;96(24):1832-1839.

2005

- 05.01** Goodman MT, Hernandez BY, Hewitt S, et al. Tissues from population-based cancer registries: a novel approach to increasing research potential. *Hum Pathol.* Jul 2005;36(7):812-820.
- 05.02** Hoffman RM, Stone SN, Espey D, Potosky AL. Differences between men with screening-detected versus clinically diagnosed prostate cancers in the USA. *BMC Cancer.* Mar 8 2005; 5(1):27.
- 05.03** Hoffman RM, Stone SN, Herman C, et al. New Mexico's capacity for increasing the prevalence of colorectal cancer screening with screening colonoscopies. *Prev Chronic Dis.* Oct 2005; 2(4):A19.
- 05.04** Irwin ML, McTiernan A, Baumgartner RN, et al. Changes in body fat and weight after a breast cancer diagnosis: influence of demographic, prognostic, and lifestyle factors. *J Clin Oncol.* Feb 1 2005;23(4):774-782.
- 05.05** Irwin ML, McTiernan A, Bernstein L, et al. Relationship of obesity and physical activity with C-peptide, leptin, and insulin-like growth factors in breast cancer survivors. *Cancer Epidemiol Biomarkers Prev.* Dec 2005;14(12):2881-2888.
- 05.06** Penson DF, McLerran D, Feng Z, et al. 5-year urinary and sexual outcomes after radical prostatectomy: results from the prostate cancer outcomes study. *J Urol.* May 2005;173(5):1701-1705.
- 05.07** Stephenson RA, Mori M, Hsieh YC, et al. Treatment of erectile dysfunction following therapy for clinically localized prostate cancer: patient reported use and outcomes from the Surveillance, Epidemiology, and End Results Prostate Cancer Outcomes Study. *J Urol.* Aug 2005;174(2):646-650; discussion 650.
- 05.08** Warren JL, Weaver DL, Bocklage T, et al. The frequency of ipsilateral second tumors after breast-conserving surgery for DCIS: a population based analysis. *Cancer.* Nov 1 2005;104(9):1840-1848.

**New Mexico Tumor Registry Bibliography
2003-2014**

05.09 Wiggins CL, Berwick M, Bishop JA. Malignant melanoma in pregnancy. *Obstet Gynecol Clin North Am.* Dec 2005;32(4):559-568.

2006

06.01 Alfano CM, McGregor BA, Kuniyuki A, et al. Psychometric properties of a tool for measuring hormone-related symptoms in breast cancer survivors. *Psychooncology.* Nov 2006;15(11):985-1000.

06.02 Alfano CM, McGregor BA, Kuniyuki A, et al. Psychometric evaluation of the Brief Cancer Impact Assessment among breast cancer survivors. *Oncology.* 2006;70(3):190-202.

06.03 Barlow WE, White E, Ballard-Barbash R, et al. Prospective breast cancer risk prediction model for women undergoing screening mammography. *J Natl Cancer Inst.* Sep 6 2006;98(17):1204-1214.

06.04 Berwick M, Wiggins C. The current epidemiology of cutaneous malignant melanoma. *Front Biosci.* 2006;11:1244-1254.

06.05 Du XL, Key CR, Dickie L, et al. Information on chemotherapy and hormone therapy from tumor registry had moderate agreement with chart reviews. *J Clin Epidemiol.* Jan 2006;59(1):53-60.

06.06 Du XL, Key CR, Dickie L, Darling R, Geraci JM, Zhang D. External validation of medicare claims for breast cancer chemotherapy compared with medical chart reviews. *Med Care.* Feb 2006;44(2):124-131.

06.07 Fan J, McKean-Cowdin R, Bernstein L, et al. An association between a common variant (G972R) in the IRS-1 gene and sex hormone levels in post-menopausal breast cancer survivors. *Breast Cancer Res Treat.* Oct 2006;99(3):323-331.

06.08 Fordyce CA, Heaphy CM, Bisoffi M, et al. Telomere content correlates with stage and prognosis in breast cancer. *Breast Cancer Res Treat.* Sep 2006;99(2):193-202.

06.09 Hoffman RM, Barry MJ, Stanford JL, Hamilton AS, Hunt WC, Collins MM. Health outcomes in older men with localized prostate cancer: results from the Prostate Cancer Outcomes Study. *Am J Med.* May 2006;119(5):418-425.

06.10 Irwin ML, Aiello EJ, McTiernan A, et al. Pre-diagnosis physical activity and mammographic density in breast cancer survivors. *Breast Cancer Res Treat.* Jan 2006;95(2):171-178.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 06.11** Kelly JJ, Lanier AP, Alberts S, Wiggins CL. Differences in cancer incidence among Indians in Alaska and New Mexico and U.S. Whites, 1993-2002. *Cancer Epidemiol Biomarkers Prev.* Aug 2006;15(8):1515-1519.
- 06.12** Smith H, Wiggins C, Vershraegen C, et al. Changing trends in gestational trophoblastic disease. *J Reprod Med.* 2006;51(10): 777-784.
- 06.13** Smith HO, Berwick M, Vershraegen CF, et al. Incidence and survival rates for female malignant germ cell tumors. *Obstet Gynecol.* May 2006;107(5):1075-1085.
- 06.14** Wayne SJ, Baumgartner K, Baumgartner RN, Bernstein L, Bowen DJ, Ballard-Barbash R. Diet quality is directly associated with quality of life in breast cancer survivors. *Breast Cancer Res Treat.* Apr 2006;96(3):227-232.
- 06.15** Weaver DL, Rosenberg RD, Barlow WE, et al. Pathologic findings from the Breast Cancer Surveillance Consortium: population-based outcomes in women undergoing biopsy after screening mammography. *Cancer.* Feb 15 2006;106(4):732-742.

2007

- 07.01** Abrahamson PE, Tworoger SS, Aiello EJ, et al. Associations between the CYP17, CYP1B1, COMT and SHBG polymorphisms and serum sex hormones in post-menopausal breast cancer survivors. *Breast Cancer Res Treat.* Sep 2007;105(1):45-54.
- 07.02** Albritton KH, Wiggins CH, Nelson HE, Weeks JC. Site of oncologic specialty care for older adolescents in Utah. *J Clin Oncol.* Oct 10 2007;25(29):4616-4621.
- 07.03** Alfano C, Smith A, Irwin M, et al. Physical activity, long-term symptoms, and health-related quality of life among breast cancer survivors: A prospective analysis. *J Cancer Survivorship, Res Pract.* 2007; 1(2):116-28.
- 07.04** Ashbeck EL, Rosenberg RD, Stauber PM, Key CR. Benign breast biopsy diagnosis and subsequent risk of breast cancer. *Cancer Epidemiol Biomarkers Prev.* Mar 2007;16(3):467-472.
- 07.05** Bowen DJ, Alfano CM, McGregor BA, et al. Possible socioeconomic and ethnic disparities in quality of life in a cohort of breast cancer survivors. *Breast Cancer Res Treat.* Nov 2007;106(1):85-95.
- 07.06** Carney PA, Abraham LA, Miglioretti DL, et al. Factors associated with imaging and procedural events used to detect breast cancer after screening mammography. *AJR Am J Roentgenol.* Feb 2007;188(2):385-392.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 07.07** Crowell RE, Goetz T, Wiggins C, Magana E. Do cancer patients in New Mexico survive as well as those in other states? *Ethn Dis*. Spring 2007;17(2):419.
- 07.08** Crowell RE, Goetz T, Wiggins C, Magana E. Regional disparities in treatment and survival of early stage non-small cell lung cancer. *Ethn Dis*. Spring 2007;17(2):358-364.
- 07.09** Espey DK, Wu XC, Swan J, et al. Annual report to the nation on the status of cancer, 1975-2004, featuring cancer in American Indians and Alaska Natives. *Cancer*. Nov 15 2007;110(10):2119-2152.
- 07.10** Heaphy CM, Baumgartner KB, Bisoffi M, Baumgartner RN, Griffith JK. Telomere DNA content predicts breast cancer free survival interval. *Clin Cancer Res*. Dec 1 2007;13(23):7037-7043.
- 07.11** Irwin ML, Aiello EJ, McTiernan A, et al. Physical activity, body mass index, and mammographic density in postmenopausal breast cancer survivors. *J Clin Oncol*. Mar 20 2007;25(9):1061-1066.
- 07.12** Meeske K, Smith AW, Alfano CM, et al. Fatigue in breast cancer survivors two to five years post diagnosis: a HEAL Study report. *Qual Life Res*. Aug 2007;16(6):947-960.
- 07.13** Slattery ML, Sweeney C, Edwards S, et al. Body size, weight change, fat distribution and breast cancer risk in Hispanic and non-Hispanic white women. *Breast Cancer Res Treat*. Mar 2007;102(1):85-101.
- 07.14** Slattery ML, Curtin K, Baumgartner R, et al. IL6, aspirin, nonsteroidal anti-inflammatory drugs, and breast cancer risk in women living in the southwestern United States. *Cancer Epidemiol Biomarkers Prev*. Apr 2007;16(4):747-755.
- 07.15** Slattery ML, Sweeney C, Wolff R, et al. Genetic variation in IGF1, IGFBP3, IRS1, IRS2 and risk of breast cancer in women living in Southwestern United States. *Breast Cancer Res Treat*. Aug 2007; 104(2):197-209.
- 07.16** Slattery ML, Sweeney C, Herrick J, et al. ESR1, AR, body size, and breast cancer risk in Hispanic and non-Hispanic white women living in the Southwestern United States. *Breast Cancer Res Treat*. Nov 2007;105(3):327-335.
- 07.17** Sweeney C, Edwards SL, Baumgartner KB, et al. Recruiting Hispanic women for a population-based study: validity of surname search and characteristics of nonparticipants. *Am J Epidemiol*. Nov 15 2007;166(10):1210-1219.

**New Mexico Tumor Registry Bibliography
2003-2014**

07.18 Sweeney C, Giuliano AR, Baumgartner KB, et al. Oral, injected and implanted contraceptives and breast cancer risk among U.S. Hispanic and non-Hispanic white women. *Int J Cancer*. Dec 1 2007;121(11):2517-2523.

07.19 Sweeney C, Wolff RK, Byers T, et al. Genetic admixture among Hispanics and candidate gene polymorphisms: potential for confounding in a breast cancer study? *Cancer Epidemiol Biomarkers Prev*. Jan 2007;16(1):142-150.

2008

08.01 Espey D, Wiggins C, Jim M, Miller B, Johnson C, Becker T. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer*. 2008;113((5 suppl)):1120-1130.

08.02 Lachiewicz A, Berwick M, Wiggins C, Thomas N. Survival differences between patients with scalp or neck melanoma and those with melanoma of other sites in the Surveillance, Epidemiology, and End Results (SEER) Program. *Arch Dermatol*. 2008;144:515-521.

08.03 Lachiewicz AM, Berwick M, Wiggins CL, Thomas NE. Epidemiologic Support for Melanoma Heterogeneity Using the Surveillance, Epidemiology, and End Results Program. *J Invest Dermatol*. May 2008; 128(5):1340-2.

08.04 Lemrow S, Perdue D, Stewart S, et al. Gallbladder cancer incidence among American Indian and Alaska Native, United States, 1999-2004. *Cancer*. 2008;113((5 suppl)):1266-1273.

08.05 Rollison DE, Giuliano AR, Sellers TA, et al. Population-based Case-Control Study of Diabetes and Breast Cancer Risk in Hispanic and Non-Hispanic White Women Living in US Southwestern States. *Am J Epidemiol*. Feb 2008; 167(4):447-56.

08.06 Slattery ML, Curtin K, Giuliano AR, et al. Active and passive smoking, IL6, ESR1, and breast cancer risk. *Breast Cancer Res Treat*. May 2008; 109(1);101-11.

08.07 Wayne SJ, Neuhouser ML, Ulrich CM, et al. Dietary fiber is associated with serum sex hormones and insulin-related peptides in postmenopausal breast cancer survivors. *Breast Cancer Res Treat*. Nov 2008; 112(1): 149-58.

08.08 Wiggins C, Espey D, Wingo P, et al. Cancer among American Indians and Alaska Natives in the United States, 1998-2004. *Cancer*. 2008;113((5 suppl)):1142-1152.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 08.09** Wiggins C, Perdue D, Henderson J, et al. Gastric cancer among American Indians and Alaska Natives in the United States. *Cancer*. 2008;113((5 suppl)):1125-1233.
- 08.10** Coughlin SS, Richards TB, Nasser K, Weiss NS, Wiggins CL, Saraiya M, Stinchcomb DG, Vensor VM, Nielson CM. Cervical cancer incidence in the United States in the US-Mexico border region, 1998-2003. *Cancer* 2008;113(10 Suppl):2964-73.
- 08.11** Davis S, Onstad L, Kopecky KJ, Wiggins C, Hamilton TE. Locating members of a cohort identified retrospectively from limited data in 50-year-old records: successful approaches employed by the Hanford Thyroid Disease Study. *Ann Epidemiol*. 2008 Mar;18(3):187-95.

2009

- 09.01** Chow EJ, Kamineni A, Daling JR, et al. Reproductive outcomes in male childhood cancer survivors: a linked cancer-birth registry analysis. *Arch Pediatr Adolesc Med*. Oct 2009;163(10):887-894.
- 09.02** Harlan LC, Klabunde CN, Ambs AH, et al. Comorbidities, therapy, and newly diagnosed conditions for women with early stage breast cancer. *J Cancer Surviv*. Jun 2009;3(2):89-98.
- 09.03** Meeske KA, Sullivan-Halley J, Smith AW, et al. Risk factors for arm lymphedema following breast cancer diagnosis in Black women and White women. *Breast Cancer Res Treat*. Jan 2009;113(2):383-391.
- 09.04** Mueller BA, Chow EJ, Kamineni A, et al. Pregnancy outcomes in female childhood and adolescent cancer survivors: a linked cancer-birth registry analysis. *Arch Pediatr Adolesc Med*. Oct 2009;163(10):879-886.
- 09.05** Pierce BL, Ballard-Barbash R, Bernstein L, et al. Elevated biomarkers of inflammation are associated with reduced survival among breast cancer patients. *J Clin Oncol*. Jul 20 2009;27(21):3437-3444.
- 09.06** Pierce BL, Neuhaus ML, Wener MH, et al. Correlates of circulating C-reactive protein and serum amyloid A concentrations in breast cancer survivors. *Breast Cancer Res Treat*. Mar 2009;114(1):155-167.
- 09.07** Smith AW, Alfano CM, Reeve BB, et al. Race/ethnicity, physical activity, and quality of life in breast cancer survivors. *Cancer Epidemiol Biomarkers Prev*. Feb 2009;18(2):656-663.

**New Mexico Tumor Registry Bibliography
2003-2014**

09.08 Wayne SJ, Neuhouser ML, Koprowski C, et al. Breast cancer survivors who use estrogenic botanical supplements have lower serum estrogen levels than non users. *Breast Cancer Res Treat.* Sep 2009;117(1):111-119.

09.09 Wheeler CM, Hunt WC, Joste NE, Key CR, Quint WGV, Castle PE. Human papillomavirus genotype distributions: Implications for vaccination and cancer screening in the United States. *J Natl Cancer Inst* 2009; 101:475-487.

2010

10.01 Bellizzi KM, Smith AW, Reeve BB, Alfano CM, Bernstein L, Meeske K, Baumgartner KB, Ballard-Barbash RR. Posttraumatic growth and health-related quality of life in a racially diverse cohort of breast cancer survivors. *J Health Psychol* 2010; 15:615-626.

10.02 Hill DA, Nibbe A, Royce ME, Wallace AM, Kang H, Wiggins CL, Rosenberg RD. Method of detection and breast cancer survival disparities in Hispanic women. *Cancer Epidemiology, Biomarkers, and Prevention* 2010; 19:2453-2460.

10.03 George SM, Neuhouser ML, Mayne ST, Irwin ML, Albanes D, Gail MH, Alfano CM, Bernstein L, McTiernan A, Reedy J, Smith AW, Ulrich CM, Ballard-Barbash R. Postdiagnosis diet quality is inversely related to a biomarker of inflammation among breast cancer survivors. *Cancer Epidemiol Biomarkers Prev* 2010; 19:2220-2228.

10.04 Neuhouser ML, Bernstein L, Hollis BW, Xiao L, Amba A, Baumgartner K, Baumgartner R, McTiernan A, Ballard-Barbash R. Serum vitamin D and breast density in breast cancer survivors. *Cancer Epidemiol Biomarkers Prev* 2010; 19:412-417.

10.05 Neuhouser ML, Nojomi M, Baumgartner RN, Baumgartner KB, Gilliland F, Bernstein L, Stanczyk F, Ballard-Barbash R, McTiernan A. Dietary fat, tamoxifen use and circulating sex hormones in postmenopausal breast cancer survivors. *Nutr Cancer* 2010; 62:164-174.

10.06 Wang X, Baldwin S, Wainer H, Bradlow ET, Reeve BB, Smith AW, Bellizzi KM, Baumgartner KB. Using Testlet Response Theory to analyze data from a survey of attitude change among breast cancer survivors. *Stat Med* 2010; 29:2028-44.

10.07 Vega KJ, Jamal MM, Wiggins CL. Changing Pattern of Esophageal Cancer Incidence in New Mexico: A 30-Year Evaluation. *Dig Dis Sci.* Jun 2010; 55:1622-6.

**New Mexico Tumor Registry Bibliography
2003-2014**

10.08 Wiggins CL, Harlan LC, Nelson HE, Stevens JL, Willman CL, Libby EN, Hromas RA. Age disparity in the dissemination of imatinib for treating chronic myeloid leukemia. *Am J Med.* Aug 2010; 123:764-769.

2011

- 11.01** Wu X-C, Eide MJ, King J, Saraiya M, Huang Y, Wiggins C, Barnholtz-Sloan JS, Cokkinides V, Miller J, Patel P, Ekwueme D, Martin N, Kim J. Racial and Ethnic Variations in Incidence and Survival of Cutaneous Melanoma in the United States, 1999-2006. *Journal of the American Academy of Dermatology* 2011; 65:S26-S37.
- 11.02** Jemal A, Saraiya M, Patel P, Cherala SS, Barnholtz-Sloan J, Kim J, Wiggins CL, Wingo PA. Recent Trends in Cutaneous Melanoma Incidence and Death Rates in the United States, 1992-2006. *Journal of the American Academy of Dermatology* 2011; 65:S17-S25.
- 11.03** Alfano CM, Lichstein KL, Vander Wal GS, Smith AW, Reeve BB, McTiernan A, Bernstein L, Baumgartner KB, Ballard-Barbash R. Sleep duration change across breast cancer survivorship: associations with symptoms and health-related quality of life. *Breast Cancer Res Treat* 2011; 130:243-254.
- 11.04** Villaseñor A, Ambs A, Ballard-Barbash R, Baumgartner KB, McTiernan A, Ulrich CM, Neuhouser ML. Dietary fiber is associated with circulating concentrations of C-reactive protein in breast cancer survivors: the HEAL study. *Breast Cancer Res Treat* 2011; 129:485-494.
- 11.05** Belle FN, Kampman E, McTiernan A, Bernstein L, Baumgartner K, Baumgartner R, Ambs A, Ballard-Barbash R, Neuhouser ML. Dietary fiber, carbohydrates, glycemic index, and glycemic load in relation to breast cancer prognosis in the HEAL cohort. *Cancer Epidemiol Biomarkers Prev* 2011; 20:890-899.
- 11.06** George SM, Irwin ML, Smith AW, Neuhouser ML, Reedy J, McTiernan A, Alfano CM, Bernstein L, Ulrich CM, Baumgartner KB, Moore SC, Albanes D, Mayne ST, Gail MH, Ballard-Barbash R. Postdiagnosis diet quality, the combination of diet quality and recreational physical activity, and prognosis after early-stage breast cancer. *Cancer Causes Control* 2011; 22:589-598.
- 11.07** Duggan C, Irwin ML, Xiao L, Henderson KD, Smith AW, Baumgartner RN, Baumgartner KB, Bernstein L, Ballard-Barbash R, McTiernan A. Associations of insulin resistance and adiponectin with mortality in women with breast cancer. *J Clin Oncol* 2011; 29:32-39.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 11.08** Irwin ML, Duggan C, Wang CY, Smith AW, McTiernan A, Baumgartner RN, Baumgartner KB, Bernstein L, Ballard-Barbash R. Fasting C-peptide levels and death resulting from all causes and breast cancer: the health, eating, activity, and lifestyle study. *J Clin Oncol* 2011; 29:47-53.
- 11.09** Ma H, Sullivan-Halley J, Smith AW, Neuhouser ML, Alfano CM, Meeske K, George SM, McTiernan A, McKean-Cowdin R, Baumgartner KB, Ballard-Barbash R, Bernstein L. Estrogenic botanical supplements, health-related quality of life, fatigue, and hormone-related symptoms in breast cancer survivors: a HEAL study report. *BMC Complement Altern Med* 2011; 11:109.
- 11.10** Geppert C, Arndell C, Clithero A, Dow-Velarde L, Eldredge J, Kalishman S, Kaufman A, McGrew M, Snyder T, Solan B, Timm C, Wagner L, Wiese W, Wiggins C, Cosgrove E. Learning to Be Leaders: The University of New Mexico School of Medicine Public Health Certificate. *American Journal of Preventive Medicine* 2011; 41(4 Supplement 3): S214-219.
- 11.11** Shah SK, Fleet TM, Williams V, Smith AY, Wiggins C. SEER Underestimates the Incidence of Positive Surgical Margins at Radical Prostatectomy: Results of a Systematic Audit. *Urology* 2011; 186:855-859.
- 11.12** Friedenreich CM, Woolcott CG, McTiernan A, Terry T, Brant R, Ballard-Barbash R, Irwin ML, Jones CA, Boyd NF, Yaffe MJ, Campbell KL, McNeely ML, Karvinen KH, Courneya KS. Adiposity changes after a 1-year aerobic exercise intervention among postmenopausal women: a randomized controlled trial. *Int J Obes (Lond)*. 2011 Mar;35(3):427-35.

2012

- 12.01** Villaseñor A, Ballard-Barbash R, Baumgartner K, Baumgartner R, Bernstein L, McTiernan A, Neuhouser ML. Prevalence and prognostic effect of sarcopenia in breast cancer survivors: the HEAL Study. *J Cancer Surviv* 2012 Dec;6(4):398-406.
- 12.02** Reeve BB, Stover AM, Alfano CM, Smith AW, Ballard-Barbash R, Bernstein L, McTiernan A, Baumgartner KB, Piper BF. The Piper Fatigue Scale-12 (PFS-12): psychometric findings and item reduction in a cohort of breast cancer survivors. *Breast Cancer Res Treat* 2012 Nov;136(1):9-20.
- 12.03** Alfano CM, Imayama I, Neuhouser ML, Kiecolt-Glaser JK, Smith AW, Meeske K, McTiernan A, Bernstein L, Baumgartner KB, Ulrich CM, Ballard-Barbash R. Fatigue, inflammation, and ω -3 and ω -6 fatty acid intake among breast cancer survivors. *J Clin Oncol* 2012 Apr 20;30(12):1280-7.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 12.04** Dee A, McKean-Cowdin R, Neuhouser ML, Ulrich C, Baumgartner RN, McTiernan A, Baumgartner K, Alfano CM, Ballard-Barbash R, Bernstein L. DEXA measures of body fat percentage and acute phase proteins among breast cancer survivors: a cross-sectional analysis. *BMC Cancer* 2012;12:343.
- 12.05** Nir I, Wiggins CL, Morris K, Rajput A. Diversification and trends in biliary tree cancer among the three major ethnic groups in the state of New Mexico. *American Journal of Surgery* 2012; 203:361-365.
- 12.06** Kaur JS, Wiggins C, Burhansstipanov L. Introduction to SOE Special Issue. *Journal of Cancer Education* 2012; 27(Supplement 1):1-3.

2013

- 13.01** Duggan C, Wang CY, Neuhouser ML, Xiao L, Smith AW, Reding KW, Baumgartner RN, Baumgartner KB, Bernstein L, Ballard-Barbash R, McTiernan A. Associations of insulin-like growth factor and insulin-like growth factor binding protein-3 with mortality in women with breast cancer. *Int J Cancer* 2013 Mar 01;132(5):1191-200.
- 13.02** George SM, Alfano CM, Wilder Smith A, Irwin ML, McTiernan A, Bernstein L, Baumgartner KB, Ballard-Barbash R. Sedentary behavior, health-related quality of life, and fatigue among breast cancer survivors. *J Phys Act Health* 2013 Mar;10(3):350-8.
- 13.03** Forsythe LP, Alfano CM, George SM, McTiernan A, Baumgartner KB, Bernstein L, Ballard-Barbash R. Pain in long-term breast cancer survivors: the role of body mass index, physical activity, and sedentary behavior. *Breast Cancer Res Treat* 2013 Jan;137(2):617-30.
- 13.04** Cook LS, Nelson HE, Cockburn M, Olson SH, Muller CY, Wiggins CL. Comorbidities and endometrial cancer survival in Hispanics and non-Hispanic whites. *Cancer Causes and Control* 2013 Jan; 24(1):61-9.
- 13.05** Simmons RG, Lee YCA, Stroup AM, Edwards SL, Rogers A, Johnson C, Wiggins CL, Hill DA, Cress RD, Lowery J, Walters ST, Japerson K, Higginbotham JC, Williams MS, Burt RW, Schwartz MD, Kinney AY. Examining the challenges of family recruitment to behavioral intervention trials: Factors associated with participation and enrollment in a multi-state colonoscopy intervention trial. *Trials* 2013; 14:116.
- 13.06** Imayama I, Alfano CM, Neuhouser ML, George SM, Wilder Smith A, Baumgartner RN, Baumgartner KB, Bernstein L, Wang CY, Duggan C, Ballard-Barbash R, McTiernan A. Weight, inflammation, cancer-related symptoms and health related quality of life among breast cancer survivors. *Breast Cancer Res Treat* 2013; 140(1):159-176.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 13.07** George SM, Smith AW, Alfano CM, Bowles HR, Irwin ML, McTiernan A, Bernstein L, Baumgartner KB, Ballard-Barbash R. The association between television watching time and all-cause mortality after breast cancer. *J Cancer Surviv* 2013; 7(2):247-252.
- 13.08** Villaseñor A, Ballard-Barbash R, Ambs A, Bernstein L, Baumgartner K, Baumgartner R, Ulrich CM, Hollis BW, McTiernan A, Neuhaus ML. Associations of serum 25-hydroxyvitamin D with overall and breast cancer-specific mortality in a multiethnic cohort of breast cancer survivors. *Cancer Causes Control* 2013; 24(4):759-767.
- 13.09** Duggan C, Ballard-Barbash R, Baumgartner RN, Baumgartner KB, Bernstein L, McTiernan A. Associations between null mutations in GSTT1 and GSTM1, the GSTP1 Ile(105)Val polymorphism, and mortality in breast cancer survivors. *SpringerPlus* 2013; 2:450.
- 13.10** Kent EE, Alfano CM, Smith AW, Bernstein L, McTiernan A, Baumgartner KB, Ballard-Barbash R. The roles of support seeking and race/ethnicity in posttraumatic growth among breast cancer survivors. *J Psychosoc Oncol* 2013; 31(4):393-412.

2014

- 14.01** Kinney AY, Boonyasiriwat W, Walters ST, Pappas LM, Stroup AM, Schwartz MD, Edwards SL, Rogers A, Kohlmann WK, Boucher KM, Vernon SW, Simmons RG, Lowery JT, Flores K, Wiggins CL, Hill DA, Burt RW, Williams MS, Higginbotham JC. Telehealth Personalized Cancer Risk Communication to Motivate Colonoscopy in Relatives of Patients With Colorectal Cancer: The Family CARE Randomized Controlled Trial. *J Clin Oncol* 2014; 32(7):654-662.
- 14.02** Rajput A, Faizi SA, Nir I, Morris KT, Fahy B, Russell J, Wiggins C. Pediatric melanoma in New Mexico American Indians, Hispanics, and non-Hispanic whites, 1981-2009. *American Journal of Surgery* 2014; 207(3):412-416
- 14.03** Hoffman RM, Espey DK, Rhyne RL, Gonzales M, Rajput A, Mishra SI, Stone SN, Wiggins CL. Colorectal cancer incidence and mortality disparities in New Mexico. *J Cancer Epidemiol*; 2014. PMC3910286.
- 14.04** Jim MA, Arias E, Seneca DS, Hoopes MJ, Jim CC, Johnson NJ, Wiggins CL. Racial Misclassification of American Indians and Alaska Natives by Indian Health Service Contract Health Service Delivery Area. *Am J Public Health*. 2014;104:S295-S302.

**New Mexico Tumor Registry Bibliography
2003-2014**

- 14.05** White MC, Espey DK, Swan J, Wiggins CL, Ehemann C, Kaur JS. Disparities in Cancer Mortality and Incidence Among American Indians and Alaska Natives in the United States. *Am J Public Health* 2014; 104: S377–S387.
- 14.06** Hoffman RM, Li J, Henderson JA, Ajani U, Wiggins C. Prostate cancer deaths and incident cases among American Indian/Alaska Native men, 1999-2009. *Am J Public Health* 2014; 104:S439-S445.
- 14.07** Libby E, Garcia D, Quintana D, Fekrazad H, Bauman J, Ebaid A, Hromas R, Rabinowitz I, Wiggins C. Disease-specific survival for patients with multiple myeloma: Significant improvements over time in all age groups. *Leukemia & Lymphoma* 2014; 55(12):2850-2857.
- 14.08** Simmons RG, Lee YC, Stroup AM, Edwards SL, Rogers A, Johnson C, Wiggins CL, Hill DA, Cress RD, Lowery J, Walters ST, Jasperson K, Higginbotham JC, Williams MS, Burt RW, Schwartz MD, Kinney AY. Examining the challenges of family recruitment to behavioral intervention trials: factors associated with participation and enrollment in a multi-state colonoscopy intervention trial. *Trials* 2013; 14:116.
- 14.09** Togawa K, Ma H, Sullivan-Halley J, Neuhaus ML, Imayama I, Baumgartner KB, Smith AW, Alfano CM, McTiernan A, Ballard-Barbash R, Bernstein L. Risk factors for self-reported arm lymphedema among female breast cancer survivors: a prospective cohort study. *Breast Cancer Res* 2014;16(4):414.
- 14.10** George SM, Bernstein L, Smith AW, Neuhaus ML, Baumgartner KB, Baumgartner RN, Ballard-Barbash R. Central adiposity after breast cancer diagnosis is related to mortality in the Health, Eating, Activity, and Lifestyle study. *Breast Cancer Res Treat* 2014;146(3):647-55.
- 14.11** George SM, Alfano CM, Neuhaus ML, Smith AW, Baumgartner RN, Baumgartner KB, Bernstein L, Ballard-Barbash R. Better postdiagnosis diet quality is associated with less cancer-related fatigue in breast cancer survivors. *J Cancer Surviv* 2014;8(4):680-687.
- 14.12** Duggan C, Risques R, Alfano C, Prunkard D, Imayama I, Holte S, Baumgartner K, Baumgartner R, Bernstein L, Ballard-Barbash R, Rabinovitch P, McTiernan A. Change in peripheral blood leukocyte telomere length and mortality in breast cancer survivors. *J Natl Cancer Inst* 2014;106(4):dju035.
- 14.13** Boone SD, Baumgartner KB, Joste NE, Pinkston CM, Yang D, Baumgartner RN. The joint contribution of tumor phenotype and education to breast cancer survival disparity between Hispanic and non-Hispanic white women. *Cancer Causes Control* 2014;25(3):273-282.