



Cervical Cancer

Average Incidence[†] (New Cases) and Cancer-Related Mortality[†] (Deaths) per Year New Mexico Residents, 2010-2014

<i>Incidence</i>				
Race/Ethnicity	Age-adjusted rate	Average number of new cases	Percent of all new cases	Rank among all new cancer cases[‡]
NM, Non-Hispanic White	6.9	32	1.3%	13
NM, Hispanic	8.2	34	2.4%	11
NM, American Indian	7.9	8	2.9%	11
NM, Black	4.4	1	1.6%	15
NM, All Races Combined	*	78	1.8%	*
US, All Races Combined [§]	6.9	12,170	1.5%	13
<i>Mortality</i>				
Race/Ethnicity	Age-adjusted rate	Average number of cancer deaths	Percent of all cancer deaths	Rank among all cancer deaths[‡]
NM, Non-Hispanic White	1.3	9	0.9%	19
NM, Hispanic	2.1	9	1.8%	14
NM, American Indian	3.7	4	4.1%	10
NM, Black	-	-	-	-
NM, All Races Combined	*	22	1.4%	*
US, All Races Combined [§]	2.2	4,220	1.5%	14

[†] Rates are per 100,000 and age-adjusted to the 2000 US standard population.

[‡] Rank was determined by sorting the rate.

* Please refer to the race-specific age-adjusted rates and ranks.

- Statistic and/or rank cannot be calculated or displayed due to a small number of cases.

[§] US incidence rates obtained from Surveillance, Epidemiology and End Results (18 Registries); US mortality rates obtained from National Center for Health Statistics (18 SEER Registries); number and percent of new US cases and cancer-related deaths obtained from American Cancer Society. *Cancer Facts and Figures 2012*. Atlanta: American Cancer Society; 2012.