



Liver and Intrahepatic Bile Duct Cancer

Average Incidence[†] (New Cases) and Cancer-Related Mortality[†] (Deaths) per Year
Male New Mexico Residents, 2008-2012

<i>Incidence</i>				
Race/Ethnicity	Age-adjusted rate	Average number of new cases	Percent of all new cases	Rank among all new cancer cases [‡]
NM, Non-Hispanic White	7.4	48	1.7%	13
NM, Hispanic	23.6	87	6.8%	4
NM, American Indian	16.5	11	5.6%	5
NM, Black	5.9	2	2.1%	12
NM, All Races Combined	*	151	3.4%	*
US, All Races Combined [§]	12.7	17,430	2.2%	11
<i>Mortality</i>				
Race/Ethnicity	Age-adjusted rate	Average number of deaths	Percent of all deaths	Rank among all deaths [‡]
NM, Non-Hispanic White	5.5	34	3.1%	11
NM, Hispanic	17.2	60	10.7%	4
NM, American Indian	9.9	6	7.3%	7
NM, Black	-	-	-	-
NM, All Races Combined	*	105	5.9%	*
US, All Races Combined [§]	9.4	12,720	4.3%	5

[†] Rates are per 100,000 and age-adjusted to the 2000 US standard population.

[‡] Rank was determined by sorting the rate.

* Please refer to the race-specific age-adjusted rates and ranks.

- Statistic and/or rank cannot be calculated or displayed due to a small number of cases.

[§] US incidence rates obtained from Surveillance, Epidemiology and End Results (18 Registries); US mortality rates obtained from National Center for Health Statistics (18 SEER Registries); number and percent of new US cases and cancer-related deaths obtained from American Cancer Society. *Cancer Facts and Figures 2010*. Atlanta: American Cancer Society; 2010.



New Mexico Tumor Registry

Please contact us!

Phone: 505-272-5541

E-Mail: info@nmtr.unm.edu

URL: nmtrweb.unm.edu



Liver and Intrahepatic Bile Duct Cancer

Average Incidence[†] (New Cases) and Cancer-Related Mortality[†] (Deaths) per Year
Female New Mexico Residents, 2008-2012

<i>Incidence</i>				
Race/Ethnicity	Age-adjusted rate	Average number of new cases	Percent of all new cases	Rank among all new cancer cases [‡]
NM, Non-Hispanic White	2.9	21	0.8%	19
NM, Hispanic	6.2	24	1.9%	13
NM, American Indian	11.3	9	4.0%	7
NM, Black	6.0	1	2.1%	8
NM, All Races Combined	*	57	1.3%	*
US, All Races Combined [§]	4.3	6,690	0.9%	18
<i>Mortality</i>				
Race/Ethnicity	Age-adjusted rate	Average number of deaths	Percent of all deaths	Rank among all deaths [‡]
NM, Non-Hispanic White	2.6	18	1.9%	10
NM, Hispanic	5.7	21	4.6%	6
NM, American Indian	8.6	7	8.0%	4
NM, Black	-	-	-	-
NM, All Races Combined	*	48	3.1%	*
US, All Races Combined [§]	3.8	6,190	2.3%	9

[†] Rates are per 100,000 and age-adjusted to the 2000 US standard population.

[‡] Rank was determined by sorting the rate.

* Please refer to the race-specific age-adjusted rates and ranks.

- Statistic and/or rank cannot be calculated or displayed due to a small number of cases.

[§] US incidence rates obtained from Surveillance, Epidemiology and End Results (18 Registries); US mortality rates obtained from National Center for Health Statistics (18 SEER Registries); number and percent of new US cases and cancer-related deaths obtained from American Cancer Society. *Cancer Facts and Figures 2010*. Atlanta: American Cancer Society; 2010.



New Mexico Tumor Registry

Please contact us!

Phone: 505-272-5541

E-Mail: info@nmtr.unm.edu

URL: nmtrweb.unm.edu