



Thyroid Cancer

Average Incidence[†] (New Cases) and Cancer-Related Mortality[†] (Deaths) per Year Male New Mexico Residents, 2008-2012

<i>Incidence</i>				
Race/Ethnicity	Age-adjusted rate	Average number of new cases	Percent of all new cases	Rank among all new cancer cases[‡]
NM, Non-Hispanic White	6.6	35	1.2%	16
NM, Hispanic	6.4	24	1.9%	12
NM, American Indian	4.4	4	2.1%	15
NM, Black	4.5	1	1.3%	13
NM, All Races Combined	*	67	1.5%	*
US, All Races Combined [§]	6.7	10,740	1.4%	16
<i>Mortality</i>				
Race/Ethnicity	Age-adjusted rate	Average number of cancer deaths	Percent of all cancer deaths	Rank among all cancer deaths[‡]
NM, Non-Hispanic White	0.5	3	0.3%	20
NM, Hispanic	-	-	-	-
NM, American Indian	-	-	-	-
NM, Black	0.0	<1	0.0%	-
NM, All Races Combined	*	5	0.3%	*
US, All Races Combined [§]	0.5	730	0.2%	20

[†] Rates are per 100,000 and age-adjusted to the 2000 US standard population.

[‡] Rank was determined by sorting the rate.

* Please refer to the race-specific age-adjusted rates and ranks.

- Statistic and/or rank cannot be calculated or displayed due to a small number of cases.

[§] US incidence rates obtained from Surveillance, Epidemiology and End Results (18 Registries); US mortality rates obtained from National Center for Health Statistics (18 SEER Registries); number and percent of new US cases and cancer-related deaths obtained from American Cancer Society. *Cancer Facts and Figures 2010*. Atlanta: American Cancer Society; 2010.



Thyroid Cancer

Average Incidence[†] (New Cases) and Cancer-Related Mortality[†] (Deaths) per Year Female New Mexico Residents, 2008-2012

<i>Incidence</i>				
Race/Ethnicity	Age-adjusted rate	Average number of new cases	Percent of all new cases	Rank among all new cancer cases[‡]
NM, Non-Hispanic White	24.7	121	4.6%	5
NM, Hispanic	20.5	85	6.8%	4
NM, American Indian	12.0	11	5.0%	6
NM, Black	11.7	2	4.3%	5
NM, All Races Combined	*	228	5.3%	*
US, All Races Combined [§]	20.0	33,930	4.6%	5
<i>Mortality</i>				
Race/Ethnicity	Age-adjusted rate	Average number of cancer deaths	Percent of all cancer deaths	Rank among all cancer deaths[‡]
NM, Non-Hispanic White	0.5	3	0.4%	21
NM, Hispanic	0.9	3	0.7%	19
NM, American Indian	-	-	-	-
NM, Black	0.0	<1	0.0%	-
NM, All Races Combined	*	7	0.5%	*
US, All Races Combined [§]	0.5	960	0.4%	21

† Rates are per 100,000 and age-adjusted to the 2000 US standard population.

‡ Rank was determined by sorting the rate.

* Please refer to the race-specific age-adjusted rates and ranks.

- Statistic and/or rank cannot be calculated or displayed due to a small number of cases.

§ US incidence rates obtained from Surveillance, Epidemiology and End Results (18 Registries); US mortality rates obtained from National Center for Health Statistics (18 SEER Registries); number and percent of new US cases and cancer-related deaths obtained from American Cancer Society. *Cancer Facts and Figures 2010*. Atlanta: American Cancer Society; 2010.